






### HARDWARE COLLECTION

HINGES • LATCHES • ACCESSORIES




KLX-P2-BK



C2H200F-SD-BK



KLADV-P2SD-BK



CL-7212









#### CornerStone® 2 Non-Adjustable Self-Closing Hinge

- Post and Gate flanges: 1"(W) x 1"(D)
- ▶ Heavy duty design produced with durable glass-filled nylon
- ► 1/4" Allen wrench included for easy Turn-N-Go™ tension adjustment

C2H100N-SD-BK Black with stainless steel self-drilling screws



#### CornerStone® 2 Adjustable Self-Closing Hinge

- ▶ Horizontally adjustable to 0.98"
- ▶ Vertically adjustable to 0.875"
- Fits both right and left-hand applications
- 1/4" Allen wrench included for easy Turn-N-Go™ tension adjustment


C2H200F-SD-BK Black with stainless steel self-drilling screws C2H200F-SD-WH White with stainless steel self-drilling screws



#### CornerStone® Adjustable Self-Closing Hinge

- ▶ Horizontally adjustable to 1 1/4"
- ▶ Vertically adjustable to 1/2"
- Fits both right and left-hand applications

CH200F-SD-BK Black with stainless steel self-drilling screws.



Cycle Warranty

Warranty











#### CornerStone® 2 Adjustable Self-Closing Hinge

- ▶ Horizontally adjustable to 1.0"
- ▶ Vertically adjustable to 1.0"
- Fits both right and left-hand applications
- 1/4" Allen wrench included for easy Turn-N-Go™ tension adjustment
- ▶ 10 pair per box @ 30lbs

C2H300F-SD-BK Black with stainless steel self-drilling screws C2H300F-SD-WH\* White with stainless steel self-drilling screws

\*Special Order





#### Adjustable Stainless Steel Self-Closing Hinge

- Post flange: 3.5"(H) x 3.5"(W) x 3.5"(D)
- Gate flange: 3.5"(H) x 2.75"(W) x 1.25"(D)
- ▶ Horizontally adjustable
- ▶ Enclosed spring with tension adjustment
- ▶ 12 pair per box @ 42lbs

NW171NASCA-SSBD-BK Black with stainless steel self-drilling screws NW171NASCA-SSWD-WH White with stainless steel self-drilling screws











#### Adjustable Stainless Steel Self-Closing U-Hinge

- Enclosed spring with tension adjustment
- ▶ 20 per box
- ▶ 8 case minimum order

NW6082BU-SSBD-BK Black for 2 1/2" gate frames NW6082BU-SSWD-WH White for 2 1/2" gate frames



#### Adjustable Stainless Steel Self-Closing Hinge Small Profile

▶ 12 pair per box @ 29lbs

NW171SCP5-SSBD-BK Black with stainless steel self-drilling screws



#### Adjustable Steel Self-Closing Hinge

- ▶ Post Flange (3 1/2" x 1 1/4")
- Gate Flange (3 1/2" x 1 1/4")
- ▶ Horizontally adjustable
- Spring tension adjustable
- ▶ 10 pair per box @ 38lbs

SV171-BK Black SV171-WH White



#### Steel 2" Self-Closing Hinge Wrap Around

- Post Flange (3 1/2" x 1 1/4")
- Gate Flange 2" Wrap-Around
- Horizontally adjustable
- Spring tension adjustable
- ▶ 12 pair per box @ 45lbs
- (NW6082BSCP-SSx Equivalent)

SV38967-BK Black SV38967-WH White







### LAICHES

#### NYLON




#### Keystone® Latch

- ▶ Locking feature accessible from both sides
- ▶ Reversible for right-hand or left-hand use
- Glass-filled nylon housing
- Thumb release button on one side, gravity latch lever on opposite side
- Stainless steel screws included
- ▶ 20 per box @ 23lbs


KLADV-P2SD-BK Black (Nylon) KLADV-P2SD-WH White (Nylon)






▶ 20 per box @ 20lbs

KLX2-P1SD-BK Black with stainless steel self-drilling screws



- Slimline design
- ▶ 20 per box @ 13lbs

KLX2-P2SD-BK Black with stainless steel self-drilling screws



#### Keystone® X eXternal Mount Latch

- Marked in 1/2" increments for quick, easy and accurate fitting to post sizes 2"-5"
- Flat design safely encloses spindle ends
- ▶ 20 per box @ 22lbs
- Use with KLX-RPA for chain link

KLX-P2SD-BK Black (Nylon)





MILLION

Cycle Warranty











#### Keystone® Self-Locking PanicLatch

- Self-Locking anti-tamper design
- Easy exit with large button
- Secure Entry with 6 pin key
- ▶ 6 per box @ 20lbs
- Use with KPL-RPA for chain link

KPL-P2SD-BK Black with self-drilling screws.





#### Mechanical Keypad Lever Lock-

- ▶ Keeper has vertical adjustment and needs to be located on the post
- Fits a gate frame of 2"-5"
- Reversable for left and right handed use
- ▶ 10 per box @ 15lbs

2835JBMGDC Black



#### Adapter for Keypad Lever Lock

- Mechanical Combination Locks No electronics
- ▶ Passage function may be set for exiting without code
- Easy code change with any amount of numbers
- Dead locking spring latch
- Slip clutch design No damage to lock if handle is pushed down too hard
- Locks never need lubrication
- ▶ 10 per box

2835-ADAPTER-BK Black











#### Armor Latch®

- Locks & unlocks from either side
- Add aluminum cover plates for metal look and color
- ▶ Re-keyable to home locks
- ▶ Reversible for left or right hand use
- ▶ Easy installation including horizontal & vertical adjustability
- Works with double drive gates
- Fits gate frames from 1-1/2" to 5" deep
- ▶ 10 per box @ 21lbs

NW6244-SD-FB Flat Black with self-drilling stainless steel screws.



#### Traverse Latch-

- Fits 5" Fence Posts
- ▶ Reversible for mounting/install
- No drilling holes through post
- ▶ Lock & unlocks from both sides
- Uses a 6-pin key cylinder

KLTRV-500-SD-BK Black



#### Magnetic Side Pull Latch

20 per box

SPL100-SD-BK Black with self-drilling screws.



#### Trident Pool Latch

- SAFE-NOTCH® feature
- LATCH WHEN LOCKED™ feature
- Easy to see the maximum amount of gap width
- ▶ Easy to use markings show proper gate alignment
- Enhanced Knob Design
- Angled Key Hole
- ▶ 20 per box @ 20lbs

TRIDENT10-BK-SD Black



Cycle Warranty



**MILLION** 







### WINYLHARDWARE

#### STAINLESS STEEL

#### Stainless Steel Gate Latch


- The Strike flange: 1.75"(W) x 3.5"(H) x 1.25"(D)
- Latch flange: 2.5"(W) x 5.5"(H) x 1.5"(D)
- ▶ Allows entry from both sides
- Mounts around corner of post and gate frame
- ▶ Pad-lockable on both sides up to 5" post
- ▶ .63" Strike Bar
- Return spring for reversible mounting
- Stainless steel screws included
- **1** 20 per box @ 36lbs

NW38308NUA-SSBD Black NW38308NUA-SSWD White

#### Stainless Steel Slim Line Latch

- The Strike flange: 3.12"(W) x 3.5"(H) x 1.38"(D)
- Latch flange: 1.88"(W) x 5.5"(H) x 1.5"(D)
- Mounts around corner of post and gate frame
- ▶ Pad-lockable on both sides Locking slide switch on latch arm
- Allows entry from both sides
- ▶ Reversible mounting (right or left handed)
- ▶ .63" Strike bar
- Stainless steel screws included
- ▶ 20 per box @ 44lbs

NW6255-SD-BK Black









#### MILD STEEL



#### Gate Latch with Extended Lock

- Deluxe Post Latch \*\*Straight Handle Version\*\*
- ▶ Adjustable For 'Right' or 'Left' Hand Gate Opening
- ▶ Pad-lockable on both sides of 4" or 5" posts
- **1** 20 per box @ 34lbs

SV38308NUAS-BK Black SV38308NUAS-WH White



#### Flip Latch

- Commercial grade
- Great for dumpster use
- Pad-lockable
- D Zinc plate steel with black powder coated finish
- ▶ 4 Stainless steel through-bolt hardware included
- ▶ 10 per box @ 37lbs

NW6169-SD-BK Black



#### Two-Side Activated Latch with Spring

- ▶ Deluxe Post Latch \*\*Straight Handle Version\*\*
- ▶ Adjustable for 'Right' or 'Left' Hand Gate Opening
- ▶ Pad-lockable On One Side Only
- ▶ Ideal For Narrow Gate Frames
- ▶ 40 per box @ 29lbs

SV6068A-BK Black SV6068A-WH White







#### ACCESSORIES

#### NYLON



#### Gate Handle

- Made with durable glass-filled nylon with UV inhibitors
- Flanges are each 1.25"(W) x 1.25"(D) for durable attachment
- Overall height is 7" and handle is 1.75" deep
- Designed for our Canadian climate

GT-GHSD-BK Black with stainless steel self-drilling screws GT-GHSD-WH White with stainless steel self-drilling screws





- Flanges are each 2"(W) x 1.75"(D) for durable attachment
- Overall height is 4.5" and handle is 1" deep
- ▶ Very comfortable and easy to grasp
- **1** 50 per box @ 25lbs
- ▶ Also available in quantities of 10

NW6143S-SD-BK Black with stainless steel self-drilling screws NW6143S-SD-WH White with stainless steel self-drilling screws \*Rubber pad backing absorbs gate slamming shock, reducing latch wear



#### Gate Handle

- Made with durable glass-filled nylon with UV inhibitors
- Flanges are each 1.5"(W) x 1.25"(D) for durable attachment
- Overall height is 5" and handle is .75" deep
- ▶ Very comfortable and easy to grasp
- ▶ 50 per box @ 8lbs

NW314S-BK-SD Black with stainless steel self-drilling screws. NW314S-WH-SD White with stainless steel self-drilling screws.









#### 36" Stainless Steel Key Locking Drop Rod

- Add the appeal of a key lock to your drop rod
- Anti-theft protection
- ▶ The handle & brackets are made of low-maintenance, glass filled nylon
- The rods are 300 series stainless steel
- Available with Black or White brackets
- 2-sided bracket attachment
- Stainless steel screws included
- ▶ 10 per box @ 36lbs

NW38305KL-36SSB-SD Black NW38305KL-36SSW-SD White

#### STAINLESS STEEL



#### 36" Stainless Drop Rods with Holder

- No locking nibs
- ▶ Includes holder for "up" position
- ▶ 10 per box @ 36lbs

NW38305H-36SSBD Black with stainless steel self-drilling screws NW38305H-36SSWD White with stainless steel self-drilling screws

#### Shotgun® Gate Closer

- ▶ One SKU closes any gate up to 250lbs\*
- Anti-slam technology
- Adjustable closing speed
- No oil therefore no leaks
- ▶ 10 per box @ 67lbs

SHOTGUN-BK Black

\*Tested on a 6' high, 6' wide. Needs a gate stop at 90 degrees









#### Gate Brace

- Aluminum brace
- Available in powder-coated black or white
- Fits 4' x 4' to 6' x 6' gates
- ▶ 20 per box

NW6132-SD-BK Black NW6132-SD-WH White

#### MILD STEEL



#### Gate Wheel

- Stainless steel bracket and spring
- Swivel design for ease of use
- ▶ 2-sided attachment for added strength
- Nationwide's V-notch™ styling
- May be used on any square profile
- Powder-coated finish
- Stainless steel screws included
- ▶ 10 per box @ 38lbs
- ▶ Easily reversible for use on left or right-handed gates

GW1-BK Black

**GW1-WH** White



#### 36"Heavy Duty Steel Drop Rod

- Utilizes Standard 36" Pad-Lockable Zinc Rod
- Bracket Flange (1 5/8" W x 1 1/2" D x 3" H)
- ▶ 20 pair per box @ 38lbs
- (NW38305N-36SSx Equivalent)

SV38305N-36BK Black

**SV38305N-36WH** White







### CHAIN LINK HARDWARE

#### HINGES

#### Heavy Duty Self-Closing Hinge

- Fits 1-3/8" to 1-7/8" gate frames
- Fits 2-3/8" to 2-7/8" posts
- ▶ 10 per box @ 32lbs

CL-7211-BK Black

CL-7211-GY Gray



- 4 Fits 1-3/8" to 1-7/8" gate frames
- Fits 4" posts
- ▶ 10 per box @ 35lbs

CL-7212-BK Black

CL-7212-GY Gray

#### CornerStone® Round Post Hinge

- ► Shims to 1-7/8", 2-3/8", 2-5/8" or 2-7/8" post and 1-3/8" or 1-5/8" frame
- ▶ Horizontally adjustable up to 1-1/4"
- ▶ Vertically adjustable up to 1/2"
- Fits both right and left hand applications
- ▶ Includes steel self-drilling screws
- ▶ 20 per box @ 40lbs

CH200FR-SD-BK Black.











### CHAIN LINK HARDWARE

#### LAICHES




#### Keystone® X-External Mount Latch

- ▶ Marked in 1/2" increments for quick, easy and accurate fitting to square post sizes 2"- 5"
- Flat design safely encloses spindle ends
- ▶ 20 per box @ 22lbs
- (use with KLX-RPA for chain link)

KLX-P2SD-BK Black





#### KLX Round Post Adapter Kit

- Includes mounting screws
- ▶ 17 per box @ 23lbs
- (use with KLX-P2)

KLX-RPA-BK Black





#### Keystone® Self-Locking PanicLatch<sup>TM</sup>

- ▶ 6 per box @ 9lbs
- (use with kpl-rpa for chain link)

KPL-P2SD-BK Black.





#### Keystone® Self-Locking PanicLatch™ Round Post Adaptor

- ▶ Keystone® Self-Locking PaniclatchTM sold separately (adapter only)
- Designed to work on 2" to 6-5/8" on the latch side (post) and 1-3/8" to 2" on the keeper side (gate).
- ▶ 6 per box @ 9lbs

KPL-RPA-BK Black.









### CHAIN LINK HARDWARE


#### ACCESSORIES



#### 4" Nylon Cantilever Roller with Shield

- ▶ 4" x 2-3/8"
- ▶ 2 per box @ 35lbs

WI-CR3-N-TBC (CL-CRNYL4C-S)



#### Chain Link to Wood Panel Brackets

- **▶** 2-3/8"
- Pre-Galvanized
- No screws included
- 4 Chain Link Post to Wood Panels
- ▶ 50 per box @ 23lbs

NW6287-PG (WI-WSA-A)









#### Blunt 'T' Hinge

- Zinc plate steel with black finish
- ▶ 1 3/4" lag screws for fence
- ▶ 1 3/4" lag screws for gate

NW6172-BK Black



#### Contemporary Walk Gate Set

- Zinc plate steel with black finish
- Screws with black finish
- ▶ Includes: pair of 8" double strap hinges, post latch and 9" handle
- ▶ 10 set per box @ 53lbs

NW-38948CQ Black

Also Available in Hammered Bronze



#### Contemporary Gate Latch with Handle

- ▶ Larger opening allows for more play of strike bar

NW38310WQ Black



#### 8" Contemporary Double Strap Hinge

- Zinc plate steel with black finish
- 1 3/4" lag screws with black finish
- ▶ 20 pair per box @ 61lbs

NW38944Q Black

Also Available in Hammered Bronze



#### Flip Latch

- Commercial grade
- Great for dumpster use
- Pad-lockable
- Tinc plate steel with black powder coated finish
- Stainless steel through-bolt hardware included
- ▶ 10 per box @ 37lbs

NW6169-BK Black









#### Adjustable Self-Closing Stainless Steel Hinge

- ▶ Stainless steel, powder coated
- ▶ Easy tension adjustment
- ▶ Larger easy to hold pin
- Allen wrench included
- ▶ 12 pair per box @ 29lbs

NW171SCP5-SSBD-SD Black (self-drilling screws)



#### CornerStone® Adjustable Self-Closing Hinge

- Fully adjustable horizontally and vertically
- Same spring and barrel as the CH090
- ▶ 1/4" Allen wrench included for tension adjustment
- ▶ 20 pair per box @ 26lbs

CH095F-SD-BK Black with stainless steel self-drilling screws



#### CornerStone®2 Non-Adjustable Self-Closing Hinge

- Post and Gate flanges: 1"(W) x 1"(D)
- ▶ Heavy duty design produced with durable glass-filled nylon
- ► 1/4" Allen wrench included for easy Turn-N-Go™ tension adjustment
- ▶ 20 pair per box @ 33lbs

C2H100N-SD-BK Black with stainless steel self-drilling screws



MILLION Cycle Warranty







Cycle Warranty



#### CornerStone® Adjustable Self-Closing Hinge

- ▶ Horizontally adjustable to 1 1/4"
- ▶ Vertically adjustable to 1/2"
- Fits both right and left-hand applications
- ▶ 1/4" Allen wrench included for tension adjustment

CH200F-SD-BK Black with stainless steel self-drilling screws.



#### Standard Square Hinge Set

- Fits 1.75" Gate Frame
- Black

ORGH17520-BK fits 2" Post **ORGH17525-BK** fits 2-1/2" Post









### LAICHES



#### Keystone® X2 eXternal Mount Latch (Lockable)


- ▶ 1-sided
- **1** 20 per box @ 20lbs

KLX2-P1SD-BK Black with stainless steel self-drilling screws



- Slimline design
- ▶ 20 per box @ 13lbs

KLX2-P2SD-BK Black with stainless steel self-drilling screws



#### Keystone® X eXternal Mount Latch

- ▶ Marked in 1/2" increments for quick, easy and accurate fitting to post sizes 2"- 5"
- Flat design safely encloses spindle ends
- ▶ 20 per box @ 22lbs
- Use with KLX-RPA for chain link

KLX-P2SD-BK Black (Nylon)



KPL-P2SD-BK Black with self-drilling screws.





#### Fork Latch Assembly

- Fits 1.75" Gate Frame
- Black

ORGL17520-BK fits 2" Post **ORGL17525-BK** fits 2-1/2" Post









#### **Trident Pool Latch**

- SAFE-NOTCH® feature
- ▶ LATCH WHEN LOCKED™ feature
- Easy to see the maximum amount of gap width
- ▶ Easy to use markings show proper gate alignment
- ▶ Enhanced Knob Design
- Angled Key Hole
- ▶ 20 per box @ 20lbs

TRIDENT10-BK-SD Black



#### Slim Line Latch

- The Strike flange: 3.12"(W) x 3.5"(H) x 1.38"(D)
- Latch flange: 1.88"(W) x 5.5"(H) x 1.5"(D)
- Mounts around corner of post and gate frame
- ▶ Pad-lockable on both sides Locking slide switch on latch arm
- Allows entry from both sides
- ▶ Reversible mounting (right or left handed)
- ▶ .63" Strike bar
- Stainless steel screws included
- **1** 20 per box @ 44lbs

NW6255-SD-BK Black



#### Traverse Latch

- ▶ Locks and unlocks from both sides
- ▶ Easy to install
- For 2" fence posts
- No drilling holes through your posts
- ▶ Time saver for your installers
- ≥ 20 per box

KLTRV-20L-SD-BK Black, Left Hand, With self-drilling screws. KLTRV-20R-SD-BK Black, Right Hand, With self-drilling screws.



MILLION

Warranty









#### ACCESSORIES



#### Gate Handle with Bumper

- Made with durable glass-filled nylon with UV inhibitors
- Flanges are each 2"(W) x 1.75"(D) for durable attachment
- Overall height is 4.5" and handle is 1" deep
- ▶ Very comfortable and easy to grasp
- **1** 50 per box @ 25lbs
- ▶ Also available in quantities of 10

NW6143S-SD-BK Black with stainless steel self-drilling screws NW6143S-SD-WH White with stainless steel self-drilling screws

\*Rubber pad backing absorbs gate slamming shock, reducing latch wear



#### Gate Handle

- Made with durable glass-filled nylon with UV inhibitors
- Flanges are each 1.5"(W) x 1.25"(D) for durable attachment
- Overall height is 5" and handle is .75" deep
- ▶ Very comfortable and easy to grasp
- ▶ 50 per box @ 8lbs

NW314S-SD-BK Black with stainless steel self-drilling screws. NW314S-SD-WH White with stainless steel self-drilling screws.



#### 36" Stainless Steel Key Locking Drop Rod

- ▶ Add the appeal of a key lock to your drop rod
- Anti-theft protection
- The handle & brackets are made of low-maintenance, glass filled nylon
- The rods are 300 series stainless steel
- Available with Black or White brackets
- 2-sided bracket attachment
- ▶ 10 per box @ 36lbs

NW38305KL-36SSB-SD Black with stainless steel self-drilling screws NW38305KL-36SSW-SD White with stainless steel self-drilling screws









#### 36" Stainless Steel Drop Rod

- ▶ 5/8" diameter
- Screws included
- Dual guides
- Pad-lockable
- ▶ Retention-ears for theft prevention
- ▶ 10 per box @ 23lbs

NW38305H-36SSBD Black NW38305H-36SSWD White



#### Shotgun® Gate Closer

- ▶ One SKU closes any gate up to 250lbs\*
- Anti-slam technology
- ▶ Adjustable closing speed
- No oil therefore no leaks
- ▶ 10 per box @ 67lbs

SHOTGUN-BK Black

\*Tested on a 6' high, 6' wide. Needs a gate stop at 90 degrees



#### 36"Heavy Duty Steel Drop Rod


- Utilizes Standard 36" Pad-Lockable Zinc Rod
- Bracket Flange (1 5/8" W x 1 1/2" D x 3" H)
- ▶ 20 pair per box @ 38lbs
- (NW38305N-36SSx Equivalent)

SV38305N-36BK Black **SV38305N-36WH** White










#### Two Piece Cover Plate for 2" Ornamental Floor Bracket

- ▶ Accommodates a 2" x 2" post
- Profile height: 1 7/8"
- Flange: 4 3/4" x 4 3/4"
- Fits Over NW302
- **1** 50 per box @ 24lbs

NW6243-BK Black



#### Two Piece Cover Plate for 2 1/2" Ornamental Floor Bracket

- ► Accommodates a 2 1/2" x 2 1/2" post
- Profile height: 1.9"
- Flange: 5 1/5" x 5 1/5"
- Fits Over NW6187
- **1** 50 per box @ 29lbs

NW6269-BK Black







### CORNERSTONE® & CORNERSTONE® 2

### SELF CLOSING NYLON HINGES



OEDIEO	WOOD	ODMANIENIEAL	V/INIV/I	OATE OAD	OATE DATING	AD II IOTADII ITV	CODEWO	OOL OD	OTVICACE
SERIES	WUUD	UKNAMENIAL	VINYL	GAIE GAP	GAIE KAIING	ADJUSTABILITY	SCKEWS'	COLOR	QTY/CASE
CH090		X		.75"	60lb.	Vertical	SD/ZD	Black/White	20(prs)
CH095F		X		.69"-1.92"	60lb.	Fully	SD/ZD	Black/White	20(prs)
CH100N		X	X	.5"	75lb.	None	SD/ZD	Black/White	20(prs)
CH101V		X		.1"	75lb.	Vertical	SD/ZD	Black	20(prs)
CH102V		X		.23"	75lb.	Vertical	SD/ZD	Black/White	20(prs)
CH200F		X		.67"-1.87"	75lb.	Fully	SD/ZD	Black/White	20(prs)
CH300F	X		X	.4"-1.3"	75lb.	Fully	SD/SS	Black/White	20(prs)
CH300H	X		X	.3"-2"	75lb.	Horizontal	SD/SS	Black/White	20(prs)
CH300N	X		X	.5"	75lb.	None	SD/SS	Black/White	20(prs)
CH350F	X		X	.4"-1.65"	150lb.	Fully	SD/SS	Black/White	10(prs)
CH100/300N			X	.5"	75lb.	None	SD/SS	Black	20(prs)
C2H100N		X	X	.75"	75lb.	None	SD/ZD	Black/White	20(prs)
C2H200F		X	X	.55"-1.53"	75lb.	Fully	SD/ZD	Black	20(prs)
C2H300F	X		X	.75"-1.75"	75lb.	Fully	SD/SS	Black	10(prs)
C2H120NB		X	X	.75"	135lb.	None	SD/ZD	Black	20(prs)
C2H121NB		X		.1"	135lb.	None	SD/ZD	Black	20(prs)

Screws\* SD-stainless steel self-drilling, ZD-zinc plated steel self-drilling, SS-Stainless Steel

















CH090

**CH095F** 

**CH100N** 

**CH101V** 

**CH200F** 

**CH300F** 

**CH300H** 

**CH300N** 

















C2H300F

**C2H120NB** 

C2H200F

**C2H121NB CH102V** 

**CH350F** 

CH100/300N

C2H100N

\*CornerStone® & CornerStone®2 hinges tested to 1 million weighted cycles on a 6ft x 4ft see chart above privacy gate







#### **ADJUSTABLE** HINGES

PART NUMBERS	GATE GAP MIN	GATE GAP MAX	TOTAL ADJ.	SELF- CLOSING
CH200F	0.67"	1.87"	1.2"	Yes
Chance a content that	0.67"	1.87"	1.2"	and a second
CH200F R CH300F	0.67	1.3"	0.9"	Yes
	0.4	2"	1.7"	Yes
CH360H	the state		58. /J# -58	Yes
CH350F	0.4"	1.65"	1.25"	Yes
HBH1	0.71"	2.22"	1.51"	No
HBH1SC	0.71"	2.22"	1.51"	Yes
NW093V		1.81"	0.81"	Yes
NW171NASC	0.49"	1.16"	0.67"	Yes
NW171NASCA	0.34"	1.23"	0.89"	Yes
NW171SCP	0.34"	1.36"	1.02"	Yes
NW171SCP2	0.34"	1.36"	1.02"	Yes
NW171SCP3	0.49"	1.31"	0.82"	Yes
NW171SCP4	0.45"	1.49"	1.04"	Yes
NW171SCP5	0.45"	1.49"	1.04"	Yes
NW171SCPT	0.34"	1.36"	1.02"	Yes
NW172	0.34"	2.52"	2.18"	No
NW6056	0.2"	2.03"	1.83"	No
NW6082SCP	0.34"	2.31"	1.97"	Yes
NW6082B	0.34"	2.03"	1.69"	Yes
NW6159	0.34"	2.52"	2.18"	No
NW6218	3.25"	6.55"	3.3"	No
NW38950N	0.52"	1.8"	1.28"	No
NW38951N	0.52"	1.8"	1.28"	No
NW3891NWV	0.52"	1.81"	1.29"	No
NW38952SCR	0.5"	2"	1.5"	Yes
NW38953SCR	0.35"	2"	1.65"	Yes
NW38954	0.52"	2.55"	2.03"	No
NW38955	0.38"	2.3"	1.92"	No
NWSS-HD-SC	0.37"	1.37"	1"	Yes
NWSS-HDT-SC	0.37"	1.37"	1"	Yes
NAUTILUS	1.05"	1.55"	0.50"	Yes
C2H200F	0.55"	1.53"	.98"	Yes
C2H300F	0.75"	1.75"	1.0"	Yes

#### NON-ADJUSTABLE HINGES

PART NUMBERS	GAP	SELF- CLOSING
CH090	0.75"	Yes
CH100N	0.5"	Yes
CH102V	0.23"	Yes
CH300N	0.5"	Yes
NW093	0.6"	Yes
NW093A	0.55"	Yes
NW093J	0.6"	Yes
NW094L	0.5"	Yes
NW095	0.5"	Yes
NW096	0.5"	Yes
NW149	0.89"	No
NW216	0.74"	No
NW6189	3"	No
C2H100N	0.75"	Yes

#### ATCHES

PART NUMBERS	GATE GAP MIN	GATE GAP MAX	TOTAL ADJ.
AQUA	0.5"	2.5"	2"
TRIDENT	0.375"	1.5"	1.12"
PROTECTOR	0.5"	2.5"	2"
MANTA	.31"	1.31"	1"
ORNAMAG	.31"	1.43"	1.12"
KLX-RPA	1"	2.1"	1.1"
NW6244	0.5"	1.5"	1"
KLX2	0.5'	2"	1.5"
KPL	0.45"	1.45"	1"
KLADV-M2	0.35'	1.67"	1.32"
KLADV-P2	0.46"	1.83"	1.37"
KLX-P2	0.66"	1.78"	1.12"
NW38340Q	0	4.25"	4.25"
RUSL1-BK	0	1.62"	1.62"
NW38203Q	0	2.37"	2.37"
NW6169	0.75"	2.75"	2"
GSL-DD	2.25"	3.75"	1.5"

#### **CHAIN LINK**

PART NUMBERS	GATE GAP MIN	GATE GAP MAX	TOTAL ADJ.	SELF- CLOSING
CL-CSL212	2"	7"	5"	
CL-CSL3	2"	6.8"	4.8"	
CL-CSL4	2"	5.5"	.35"	
CL-CDL	2.38"	5.5"	3.12"	
CL-7210 1.38/2.38	1.38"	2.81"	1.43"	Yes
CL-7210 1.38/2.88	1.6"	2.97"	1.37"	Yes
CL-7210 1.63/2.38	1.5"	2.87"	1.37"	Yes
CL-7210 1.63/2.88	1.5"	3"	1.4"	Yes
CL-RDL	1.75"	4.125"	2.375"	

24

<sup>\*</sup>Hinge Gap is calculated using SUPPLIED Fasteners; different hardware may change minimum value.







### 



The DFS Post Pounder uses a 2 stroke 52CC gasoline engine that has the power you need to drive your pipe into the ground. Built for durability and power, this versatile post pounder will not only handle the galvanized steel pipe for a vinyl fence but it also accommodates other sizes of posts and pipe. The sleeve adaptors that are included are 2", 2.75", and 4".

The DFS Post Pounder will save you time and the back-breaking effort needed to pound your pipe in by hand. Put it to the test and you will see its uncompromising quality and effortless post-pounding. Your post pounder also comes with a fuel mixing can, tool kit, grease, and a rugged carrying case making portability even easier.

Save time and money with your DFS Post Pounder.



25



#### NATIONWIDE



# PROFESSIONAL VINYL FENCE ROUTER TEMPLATES





No need to spend thousands of dollars on a CNC router to router your posts. Stock blank posts and use the DFS router template kit to router posts on site saving time and money.

The DFS router template kit creates an accurate cut, with crisp lines and a snug fit. Routering posts by hand without a template can be tricky and it's difficult to ensure a perfect fit. One small mistake can cause a post to be unstable. Every router cut with the DFS router template kit ensures consistency and adds to the longevity of your fence.

Not every yard has level terrain. Installing vinyl fences over terrain that changes in elevation makes it difficult to ensure the fence remains sturdy and the installation looks professional. Using pre-routed posts leaves you with limited options. DFS router template kit can be adjusted allowing the top and bottom rails to be lowered or heightened dependent on the grade of your yard.

Use the DFS router template kit for privacy fence with two rails or up to four rails at a time for our Eldorado IV or Sunnydale fence styles. Building gates is time-consuming without a template. We make it easy to router the two uprights at the same time. Improve the look of your gate on the unlevel ground by keeping the top gate rail level with the top of the fence while the bottom follows the grade. This is also a great help to keep small dogs from escaping your backyard.

26



DIRECT FENCING SUPPLY

### CANADA'S TRUSTED FENCE SUPPLIER

TOLL FREE: 1-888-751-5324 PHONE: 306-242-7938 FAX: 306-668-1055

7385 LUTHERAN ROAD COMP 20, SITE 411, RR#4 SASKATOON, SK S7K 3J7

INFO@DIRECTFENCINGSUPPLY.CA

WWW.DIRECTFENCINGSUPPLY.CA



